

Proposed Band Plan for Amateur 33 cm Band (902-928 MHz), Revised

Frequency Range		Mode	Functional Use	Comments
From	To			
902.000	902.075	FM / other including DV Or CW/SSB	Repeater inputs 25 MHz split paired with those in 927.000-927.075 or Weak signal	12.5 kHz channel spacing Note b)
902.075	902.100	CW/SSB	Weak signal	
902.100		CW/SSB	Weak signal calling	Regional option
902.100	902.125	CW/SSB	Weak signal	
902.125	903.000	FM/other including DV	Repeater inputs 25 MHz split paired with those in 927.1250-928.0000	12.5 kHz channel spacing
903.000	903.100	CW/SSB	Beacons and weak signal	
903.100		CW/SSB	Weak signal calling	Regional option
903.100	903.400	CW/SSB	Weak signal	
903.400	909.000	Mixed modes	Mixed operations including control links	
909.000	915.000	Analog/digital	Broadband multimedia including ATV, DATV and SS	Notes c) d)
915.0000	921.000	Analog/digital	Broadband multimedia including ATV, DATV and SS	Notes c) d)
921.000	927.000	Analog/digital	Broadband multimedia including ATV, DATV and SS	Notes c) d)
927.000	927.075	FM / other including DV	Repeater outputs 25 MHz split paired with those in 902.0000-902.0750	12.5 kHz channel spacing
927.075	927.125	FM / other including DV	Simplex	
927.125	928.000	FM / other including DV	Repeater outputs 25 MHz split paired with those in 902.125-903.000	12.5 kHz channel spacing Notes e) f)

Notes:

- a) Significant regional variations in both current band utilization and the intensity and frequency distribution of noise sources preclude one plan that is suitable for all parts of the country. These variations will require many regional frequency coordinators to maintain band plans that differ in some respects from any national plan. As with all band plans, locally coordinated plans always take precedence over any general recommendations such as a national band plan.
- b) May be used for either repeater inputs or weak-signal as regional needs dictate
- c) Division into channels and/or separation of uses within these segments may be done regionally based on needs and usage, such as for 2 MHz-wide digital TV.
- d) These segments may also be designated regionally to accommodate alternative repeater splits.
- e) Simplex FM calling frequency 927.500 or regionally selected alternative.
- f) Additional FM simplex frequencies may be designated regionally.